



Superior Quality.
Custom Crafted.

INTERIOR DOORS

RESIDENTIAL
COMMERCIAL



Custom manufactured in North Carolina
with materials made in the Carolinas.


www.doorworkscompany.com




Right Door. Right Here. Right Now.

(888) DOOR-N-24 www.DoorStopNY.com


sample designs




Edenton




True Radius




V-groove




Ashley




Manteo




Augusta




V-groove




South Beach




Camilla




Camilla with optional panel




Seg Arch Top Camilla




Devonshire




Ashemore




Savannah




Vineyard




Vineyard with optional panel




Colorado




Cheyenne




Sun Valley




Hallston




Berkley




Sonoma




Windsor




Litchfield




Monterrey




Georgetown




Virginia




Newport




Bedford




Suffolk




Portsmouth




Cambridge




Napa




Essex



Southport







Franklin



Churchill






Doors shown as 1668 Pair, 2670 and 3080. CADD drawings will be sent for approval prior to production.

glass



French doors with transoms

Acadia







St. John's

Notre Dame

Beaufort

Baja

Worthington




Portsmouth
with glass

Manteo
with glass


Marathon

6-lite over
raised panel

9-lite over
raised panel



Simulated Divided Lite




True Divided Lite

Glass Options:

- Wide range of decorative glass
- Panels open for customer glass with stop shipped loose
- Fixed Transoms and Sidelites are available
- Glass in lieu of panels

louvers



Metal louvers also available



More Options

- Access / Cut-Down
- Bi-fold
- Dutch
- Pocket / By-Pass
- Segmented Arched Top in most designs
- True Radius Top in most designs
- Contiguous Arched Top Pair

sustainability



Door Works Company contributes to environmental sustainability everyday. Our MDF is made of 100% pre-consumer recycled wood content and is ranked by the Composite Panel Association as an Environmentally Preferred Product (EPP).

Door Works interior doors *may* contribute to the following LEED credits. Please speak with a Door Works representative to discuss your requirements.

Material & Resource (MR) 4—*Recycled Content*. Use of materials with recycled content.

Indoor Environmental Quality (IEQ) 4.4—*Low Emitting Composite Wood and Agrifiber*. No added urea-formaldehyde resins.

Material & Resource (MR) 5—*Local and Regional*. Products that have been extracted, harvested or recovered, as well as, manufactured within 500 miles of the project site.

fire rated



Door Works provides labeled fire rated doors in 20, 45, 60 and 90 minutes. Available with Positive Pressure or Neutral rating.

Doors are 1 3/4" thick and are available in most any design, width, and are machined for standard or fire-rated jambs.


Fire doors comply with the following standards and carry the Warnock Hersey certified component label:

- UL 10(6)
- UL 10 (c), CAN/ULC S104
- ASTM E2074
- UBC 7-2 (1997) Part I
- NFPA 252

Glass Options:

Fire and Safety Rated Glass Available.

Some design restrictions apply, therefore, fire doors are quoted individually.



commercial

We have provided doors for a variety of commercial properties such as clubhouses, medical offices, hotels, multi-family housing, and historic inns.

We can prep doors for a variety of hardware by including wood blocking inside the door and mortising for the hardware. Examples of different types of hardware include:

Panic door hardware

Closers

Card readers

Mortise locks


Heavy duty ball catches

Peep holes

Pivot door


Flush bolts

Soss hinges




about

- We are a 100% custom manufacturing facility. No inventory is stocked.
- Any door width and height is available up to 4/0 x 10/0.
- Standard Door thickness is 1 3/8 inch or 1 3/4 inch. Custom thickness available on request.
- Doors are constructed with solid sheets of double-refined MDF, which are laminated together for superior strength and stability.
- Laminated construction provides superior strength and stability compared to router carved 1 3/8" or 1 3/4" MDF blanks.
- Laminated construction provides superior strength and stability compared to traditional wood or MDF stile and rail paint-grade doors.
- All doors are fitted with blocks during production for superior fastener holding capability for attaching hinges and hardware. The embedded wood block allows for a consistent finished edge. We recommend that load bearing screws not be put into the edge of MDF panels unless a block has been fitted during construction.
- Door Works offers exceptional detail in machined surfaces by using state-of-the-art CNC machinery, tooling and engineering software.
- Maximum design flexibility – Able to closely match other manufacturers.
- Our specially formulated primer allows for superior finishing. Only light sanding required prior to painting.
- Doors will not expand or contract after sealing on all six sides.
- We offer architecturally correct designs. For example, spring lines remain constant on all doors with arched panels.




sticking / panel profiles


Sticking options:




Beaded Hip (S-101)




Beveled (S-108)




Beaded (S-102)




Square Instep (S-109)




Double Hip (S-103)




Ogee (S-110)



Bead & Cove (S-104)




Quarter Round (S-111)




Cove & Bead (S-105)


Applied Moulding



Flush Panel Mould (PM-110)




Reverse Ogee (S-106)



Standard Panel Mould (PM-111)



Square (S-107)




Large Panel Mould (PM-112)


As shown in 1 3/4". Modification required for 1 3/8" and 1 1/2" thickness.

Some modification required for applied moulding with inset raised panels.


Panel Options:




*Beaded Hip (IRP-101)




**Double Hip (IRP-103)



*Scoop Beaded (IRP-105)




^Double Step (IRP-107)




~Single Hip (IRP-108)




Flat Inset (IFP-109)




*Scoop (IRP-110)



*Raised (IRP-111)




~Wide Scoop (IRP-112)




**Step (IRP-113)

Other Panel Options



Tambour



V-Grooves

Available Panel Thickness:

| Flat Panel | Raised Panel |
|------------|--------------|
| ◇ 1/2" | ◇ 1" |
| ◇ 5/8" | ◇ 1-1/4" |
| ◇ 7/8" | ◇ 1-3/8" |
| | ◇ 1-3/4" |

Custom options available

Sticking options shown in 1-3/4". Modification required for 1-3/8"

* Shown in 1-3/4"

** Only available in 1-3/8" or 1-3/4"

^Shown in 1-1/4", minimum thickness

~Shown in 1"



*Take advantage of our technology
to select or create a design that
seamlessly integrates with your
project. Contact us today to learn
more about the New Quality
Standard.*



www.doorworkscompany.com